



Connecticut Lottery Corporation (“CLC”)
15 Sterling Drive
Wallingford, CT 06492
860-713-2791

**Instant Ticket Dispensers & Fold-Over Insert Card Holders
Request For Proposals
#CLC202510**

Deadline For Proposal Submissions: December 5, 2025
Deadline For Sample Submissions: December 12, 2025

This document is subject to change.

I. INTRODUCTION

A. The Opportunity

CLC seeks durable, high-quality instant ticket dispensers and instant ticket fold-over holders designed for use across approximately 2,800 retailer locations throughout the State of Connecticut. These units are essential for promoting instant ticket visibility, accessibility, and security at retail counters. The selected vendor will be expected to deliver consistent product quality and material integrity to ensure safe, long-term use in retail environments. Vendors must have a minimum of five (5) years of experience manufacturing products of similar type and complexity and possess the production capacity to meet CLC’s estimated annual volume requirements.

CLC’s mission is to generate revenue for the State of Connecticut in an entrepreneurial manner by operating a fair, transparent, and socially responsible lottery. CLC is committed to integrity, public trust, and an entertaining player experience while promoting responsible gambling. The selected vendor will help CLC support its statewide retail network, strengthen the player experience, and ensure that dispensers meet quality, safety, and compliance standards.

B. Contractual Framework

The anticipated term of any resulting contract is three (3) years, with the option to extend for up to two (2) additional one-year terms. This RFP does not constitute a contract or an offer to contract and does not oblige CLC to make an award, enter negotiations, or reimburse any costs incurred by vendors in connection with this solicitation. Unless and until a written contract is executed by both parties, no binding obligations shall exist. All contract-related questions and negotiations will be discussed with the selected vendor.

II. SCHEDULE

Issue Date	Thursday, November 13, 2025
Questions Submission Deadline*	12:00 PM ET, Thursday, November 20, 2025
Proposals Submission Deadline*	12:00 PM ET, Friday, December 5, 2025
Samples Submission Deadline*	Friday, December 12, 2025
Preliminary Award Notice anticipated on or around	Monday, December 29, 2025

Dates bearing an asterisk (*) are firm dates and times. All other dates are subject to change by CLC. CLC's website is the official source of information for all updates and changes to this RFP.

III. CLC POINT OF CONTACT

CLC's sole point of contact for this RFP prior to any preliminary award is General Counsel ("Procurement Officer" or "PO"), Melissa Durso. Vendors are strictly prohibited from contacting any CLC employee, officer, Board member, or State official regarding this RFP, except as directed in this section. Any violation of this requirement may result in disqualification from further consideration.

A. Questions

All questions regarding this RFP must be submitted via email to PublicSolicitations@ctlottery.org no later than **12:00 PM Eastern Time (ET) on November 20, 2025**. Emails must include the subject line: "[Vendor Name] – Questions: RFP CLC202510".

To promote transparency and ensure meaningful responses, all questions must clearly reference the specific RFP section, any subsection, or any applicable addenda to which they pertain. CLC reserves the right to disregard or disqualify questions, or other communications that are determined to be duplicative, irrelevant, or generated primarily by automated or artificial intelligence tools without meaningful vendor oversight or engagement.

CLC responses to relevant and timely submitted questions will be posted under the "Public Bids (RFP, RFQ, RFI)" tab on CLC's Supplier Opportunities webpage (ctlottery.org/SupplierOpportunities).

B. Vendor Proposal Submissions

CLC must receive proposal submissions no later than **12:00 PM ET on December 5, 2025**. Submissions must be sent in PDF format to the PO, at PublicSolicitations@ctlottery.org with the email subject line: "[Vendor Name] – Submission: RFP CLC202510".

C. Vendor Sample Submissions

Vendors should prepare to have all samples, submitted as part of their overall response to this RFP, delivered to CLC's headquarters at 15 Sterling Drive, Wallingford, CT 06492, no later than **4:00 PM ET on December 12, 2025**. All packaging must be addressed to the attention of the PO, Melissa Durso. Tracking information for all packages containing samples must be submitted by the Proposals Submission Deadline specified in Part II. Any communications related to shipment delays should be promptly communicated to the PO. Samples may be tested to the point of destruction and will not be returned.

IV. PRODUCT SPECIFICATIONS & REQUIREMENTS

A. Product Specifications

The detailed specifications for each product type are provided in Appendix B of this RFP. Vendors must submit pricing and descriptive information, as well as any proposed alternative materials in accordance with these specifications, clearly identifying any differences. While CLC has provided specifications for both dispensers and holders, vendors are encouraged to propose alternative materials, features, or configurations that meet or exceed these requirements and further enhance product durability, security, or usability. CLC welcomes innovative design concepts or manufacturing approaches that improve long-term performance, support branding objectives, or optimize functionality in a retail environment.

Material (top, bottom, sides, doors, and dividers):

- High-quality clear acrylic
- Or another material capable of integrating CLC branding on the exterior face of the dispenser
- Thickness of material shall be no less than 3/16 inch (4.8 mm)
- All products must be free of sharp edges; dispensers exhibiting sharp or unsafe edges will not be accepted or paid for.

B. Product Requirements

All proposed designs must maintain durability, visibility, and retailer ease of use while supporting CLC's branding and merchandising objectives. The selected vendor's products will help CLC maintain consistent brand presentation and product security across its statewide retail network while supporting operational efficiency and customer engagement. All clear acrylic components shall exhibit a light transmittance of no less than 92% and shall not fade, yellow, or otherwise discolor for a period of no less than ten (10) years under normal conditions.

1. On-Counter Instant Ticket Dispensers

Specifications and design parameters for On-Counter Instant Ticket Dispensers (e.g., 4-Game, 5-Game, 8-Game, 10-Game, and 20-Game models) are detailed in Appendix B. Each unit must include features such as hinged doors, locks, internal dividers, hook-and-loop protection strips (e.g. Velcro), sample ticket bars, and non-slip feet.

2. Fold-Over Insert Card Holders

Specifications for both Small and Large Fold-Over Insert Card Holders are detailed in Appendix B. These holders must adhere securely to the back doors of standard On-Counter Dispensers and use Polyethylene Terephthalate Glycol (PETG) or equivalent material with high-bond adhesive.

V. PACKAGING REQUIREMENTS

All products shipped to CLC shall be packaged to ensure safe delivery and compliance with the following requirements, as applicable.

A. General Requirements

1. Individual Packaging

Each Dispenser shall be individually boxed using sufficient, protective packaging materials to prevent damage during transit. Packaging must include a minimum of two protective layers

(e.g., bubble wrap or foam corner guards) around all sides of the product to safeguard against impact or compression damage. Loose-fill packing materials (e.g. peanuts, shredded paper, or similar) are not permitted.

2. Labeling

Each individual box shall include a label clearly identifying the contents, including product description, model number (if applicable), and quantity. Pallets must also include pallet labels identifying the contents and total quantity.

3. Pallet Specifications

- Preferred pallet size: 40" x 31"
- Maximum pallet height: 60 inches (including pallet)
- Cartons must be securely stacked and shrink-wrapped to prevent shifting during shipment.

4. Environmentally Friendly Materials

Vendors are encouraged to use recyclable and environmentally friendly packaging materials whenever possible.

5. Damaged Goods

CLC shall not be responsible for any product damaged during shipment. If product is received damaged, or if damage is discovered after delivery, the vendor shall, at the discretion of CLC, either: (a) replace the damaged product at no additional cost, or (b) reimburse CLC for the full cost of the damaged items within thirty (30) calendar days of notification.

B. Weight Limitations

1. Instant Ticket Dispensers

No specific carton weight limit applies; however, vendors are encouraged to maintain safe and manageable carton weights consistent with standard freight handling practices.

2. Fold-Over Insert Card Holders

Each box containing Fold-Over Insert Card Holders shall not exceed thirty (30) pounds in total weight.

VI. SUBMISSION & CONTENT REQUIREMENTS

A. Public Copy Requirement

CLC is subject to the Connecticut Freedom of Information Act ("FOIA"). This means that any information vendors provide to CLC could be shared with the public. CLC strongly recommends that vendors not include any proprietary or confidential information in their submissions. If a vendor chooses to include proprietary or confidential information in its submission, then it must provide CLC a second copy of its submission labeled "Public Copy"

with this information redacted. CLC will not honor submissions with general proprietary notices or markings, or that use page headers or footers that arbitrarily mark all pages “confidential.” Furthermore, pricing, resumes, copyrighted materials, and marketing information has been found to be subject to public disclosure. Despite what a vendor redacts as protected information, the final determination as to whether it is subject to public disclosure resides solely with CLC. CLC will interpret a vendor’s failure to provide a “Public Copy” as the vendor’s acknowledgment that its submission contains no protected information, and CLC may disclose the submission to the public upon request without notice or liability to the vendor.

B. Content Requirements

Submissions should be clear and thorough and include the information and materials in the order requested below.

1. Vendor Profile

- a. The name, title, address, telephone number, and email address of the vendor’s primary point of contact for this RFP.
- b. Vendor’s full business name, mailing address of its principal place of business, manufacturing facilities, distribution facilities, principal owners, number of years providing similar products requested in this RFP.

2. Price Quote

Vendors must submit a signed price quote (Appendix A). This provides a consistent format that all vendors must use. CLC will not accept pricing submitted on vendor quotation forms. Further, vendors should not include their standard terms and conditions, unless expressly requested by CLC.

3. Material Description

Vendors must provide a detailed description of the materials proposed for each product listed in Appendix B, including but not limited to the below. This information must be included in proposal submissions and correspond to the items listed in Appendix B.

- a. Material Type: Identify the base material (e.g., clear acrylic, PETG, or other equivalent).
- b. Material Specifications: Provide thickness, light transmittance, and any other relevant performance properties.
- c. Branding Compatibility: Describe how the material supports CLC branding on the outside face of the dispenser (e.g., printing, etching, overlay).
- d. Durability: Confirm that the material will not fade or yellow for a period of no less than ten (10) years under normal use.
- e. Environmental Considerations (optional): Indicate any recycled content or sustainability attributes.

4. 30 Game On-Counter Instant Ticket Dispenser

CLC does not currently utilize a 30 Game On-Counter Instant Ticket Dispenser but is considering adding this configuration to its instant ticket dispenser portfolio. To assess feasibility and support future innovation, CLC requests that Proposers include pricing for

such a unit, taking into consideration the product specifications and requirements outlined in Appendix B.

Proposers are encouraged to present design features or enhancements that meet or exceed the material, durability, and construction standards detailed in Part IV using Appendix C. CLC will collaborate with the successful vendor to finalize the design and alignment with CLC's objectives.

If a Proposer is unable to offer a 30-Game configuration, this must be explicitly stated in its proposal submission, accompanied by a brief explanation (e.g., design limitations or production constraints).

5. Customer References

Provide three (3) customer references. Please include a contact name, number, and email address for all customer references.

6. Campaign Contribution Form

Vendors must include with their proposal submissions a signed Campaign Contribution Certification, OPM Ethics Form 1 (ctlottery.org/SupplierOpportunities).

C. Sample Requirements

Vendors must provide, at no cost or expense to CLC, both material samples and functional prototypes for evaluation. All material samples and functional prototypes must be delivered to CLC's headquarters (15 Sterling Drive, Wallingford, CT 06492) by the Samples Submission Deadline specified in Part II of this RFP. Each package must be clearly labeled with the vendor's name, item description, and corresponding product reference. Tracking information for all packages containing material samples and functional prototypes must be submitted to the PO prior to shipment. Prototypes must be fully assembled and representative of the proposed final design.

1. Material Samples

Material Samples shall demonstrate the quality, thickness, and transparency of the proposed materials and finishes.

2. Functional Prototypes

A functional prototype of each of the following items must also be delivered by the Samples Submission Deadline specified in Part II of this RFP:

- 10 Game On-Counter Instant Ticket Dispenser – Low Profile
- Fold-Over Insert Card Holder – Small

VII. TERMS & CONDITIONS

A. Purchase Orders

CLC expects to order dispensers from the selected vendor through written purchase order(s). CLC's General Terms and Conditions of Purchase (ctlottery.org/SupplierOpportunities) will be incorporated into and made a part of each purchase order, and together with any additional terms and conditions that may be set out in a purchase order or otherwise agreed to between CLC and

the selected vendor in writing, will be mandatory minimum terms and conditions of the contract with the selected vendor.

B. Quantity

Product orders will be placed by CLC on an “as needed, when needed” basis without any commitment by CLC that any minimum or maximum quantity of orders will be made. Please refer to Appendix A of this RFP for CLC’s anticipated purchase quantities. CLC does not guarantee that its dispenser and fold-over holder usage will remain consistent. CLC reserves the right to increase or decrease purchase quantities as its operational needs require, without any change in pricing. CLC may, at its discretion, place no orders due to existing inventory or other factors.

C. Delivery

All product deliveries shall comply with the requirements outlined in Part V, Packaging Requirements, of this RFP. Deliveries shall be made FOB Destination, Freight Prepaid, to CLC’s warehouse located at 15 Sterling Drive, Wallingford, CT 06492. This means that the selected vendor will pay all shipping and handling costs and will remain responsible for the products until CLC takes possession and formally accepts them at its warehouse, subject to vendor warranties.

Complete production and timely delivery are critical to CLC’s operations and are therefore of the essence. The selected vendor must notify CLC in writing of any anticipated delivery delays as soon as possible, and preferably at least three (3) weeks in advance of the expected delivery date. If the selected vendor is unable to deliver products in time to meet CLC’s operational requirements, CLC reserves the right to procure such products on the open market. Any and all costs incurred by CLC in doing so shall be promptly paid or reimbursed by the selected vendor.

D. Warranty

Products furnished by the selected vendor shall be covered by the most favorable commercial warranties the selected vendor gives any customer for such products, without limiting any warranties or CLC remedies stated in the General Terms and Conditions of Purchase.

VIII. CLC RESERVATIONS

In addition to any rights set forth elsewhere in this RFP, CLC reserves the right to take any of the following actions, in its sole discretion, at any time:

- A. Accept or reject any or all submissions, in whole or in part, and to award or not award a contract based on submissions received;
- B. Waive any mandatory, non-material specification(s) that cannot be complied with by all vendors;
- C. Waive any informality in the RFP process if doing so, as determined solely by CLC, is in CLC’s best interest;
- D. Conduct discussions with any or all vendors for the purpose of clarification and/or modification of their submissions, or to request best and final terms from vendors deemed most qualified to provide the required services and with submissions within an acceptable competitive range;
- E. Arrange to receive services sought under this RFP from other providers, or perform the services itself;

- F. Solicit additional and/or new submissions from anyone;
- G. Clarify, supplement, modify, suspend, or terminate this RFP in whole or in part, or withdraw and reissue a new RFP, including an RFP with terms and conditions materially different from this RFP;
- H. Obtain information from any and all sources concerning a vendor that CLC considers relevant to this RFP, and to consider such information in evaluating the vendor's submission;
- I. Make a whole award, multiple awards, a partial award, or no award;
- J. Disqualify any vendor whose conduct and/or submission fails to conform to the requirements of this RFP; and
- K. Negotiate contract provisions, including provisions not found in this RFP, with one or more potential vendors in any manner CLC deems fit (negotiations may be held with multiple vendors concurrently or on an individual basis at separate times as CLC determines).

Request For Proposals (RFP)
#CLC202510

Appendix A
Price Quote
(Page 1 of 5)

In submitting this Price Quote, the vendor acknowledges and agrees that: (a) the pricing supplied is fixed and all-inclusive, including, but not limited to, the costs of delivery, labor and services, and any other expenses (as applicable); and (b) CLC will make no, and have no liability to make, additional payment of any kind for the items quoted.

Vendors shall complete the Pricing Tables below or provide an equivalent pricing schedule in the same format. Pricing must include unit prices with quantity-based breaks according to the ranges shown.

Item	Variation	Quantity Range	Unit Price (\$)	Lead Time (Weeks)
A. 20 Game On-Counter Instant Ticket Dispenser	Split Door	0-100		
		101-200		
		201-300		
		301-400		
		401-500		
		500+		

Item	Variation	Quantity Range	Unit Price (\$)	Lead Time (Weeks)
B. 20 Game On-Counter Instant Ticket Dispenser	Low Profile	0-100		
		101-200		
		201-300		
		301-400		
		401-500		
		500+		

Print Name

Title

Signature

Date

***NOTE:** In order to be considered valid, each page of this Price Quote (Appendix A) must be signed by a principal officer or owner of the business entity that is submitting the Quote.

Appendix A
Price Quote
 (Page 2 of 5)

Item	Variation	Quantity Range	Unit Price (\$)	Lead Time (Weeks)
C. 10 Game On-Counter Instant Ticket Dispenser	Standard	0-100		
		101-200		
		201-300		
		301-400		
		401-500		
		500+		

Item	Variation	Quantity Range	Unit Price (\$)	Lead Time (Weeks)
D. 10 Game On-Counter Instant Ticket Dispenser	Low Profile	0-100		
		101-200		
		201-300		
		301-400		
		401-500		
		500+		

Item	Variation	Quantity Range	Unit Price (\$)	Lead Time (Weeks)
E. 8 Game On-Counter Instant Ticket Dispenser	Standard	0-100		
		101-200		
		201-300		
		301-400		
		401-500		
		500+		

Print Name

Title

Signature

Date

***NOTE:** In order to be considered valid, each page of this Price Quote (Appendix A) must be signed by a principal officer or owner of the business entity that is submitting the Quote.

Appendix A
Price Quote
(Page 3 of 5)

Item	Variation	Quantity Range	Unit Price (\$)	Lead Time (Weeks)
F. 8 Game On-Counter Instant Ticket Dispenser	Low Profile	0-100		
		101-200		
		201-300		
		301-400		
		401-500		
		500+		

Item	Variation	Quantity Range	Unit Price (\$)	Lead Time (Weeks)
G. 5 Game On-Counter Instant Ticket Dispenser	Low Profile	0-100		
		101-200		
		201-300		
		301-400		
		401-500		
		500+		

Item	Variation	Quantity Range	Unit Price (\$)	Lead Time (Weeks)
H. 4 Game On-Counter Instant Ticket Dispenser	Low Profile	0-100		
		101-200		
		201-300		
		301-400		
		401-500		
		500+		

Print Name

Title

Signature

Date

***NOTE:** In order to be considered valid, each page of this Price Quote (Appendix A) must be signed by a principal officer or owner of the business entity that is submitting the Quote.

Appendix A
Price Quote
 (Page 4 of 5)

Item	Variation	Quantity Range	Unit Price (\$)	Lead Time (Weeks)
I. Fold-Over Insert Card Holder	Small	0-100		
		101-200		
		201-300		
		301-400		
		401-500		
		500+		

Item	Variation	Quantity Range	Unit Price (\$)	Lead Time (Weeks)
J. Fold-Over Insert Card Holder	Large	0-100		
		101-200		
		201-300		
		301-400		
		401-500		
		500+		

Print Name

Title

Signature

Date

***NOTE:** In order to be considered valid, each page of this Price Quote (Appendix A) must be signed by a principal officer or owner of the business entity that is submitting the Quote.

Appendix A
Price Quote
 (Page 5 of 5)

Item	Variation	Quantity Range	Unit Price (\$)	Lead Time (Weeks)
K. 30 Game On-Counter Instant Ticket Dispenser	Standard	0-100		
		101-200		
		201-300		
		301-400		
		401-500		
		500+		

Item	Variation	Quantity Range	Unit Price (\$)	Lead Time (Weeks)
L. 30 Game On-Counter Instant Ticket Dispenser	Low Profile	0-100		
		101-200		
		201-300		
		301-400		
		401-500		
		500+		

Print Name

Title

Signature

Date

***NOTE:** In order to be considered valid, each page of this Price Quote (Appendix A) must be signed by a principal officer or owner of the business entity that is submitting the Quote.

Request For Proposals (RFP)
#CLC202510

Appendix B
Product Specifications and Packaging Requirements
(Page 1 of 18)

A. 20 Game On-Counter Instant Ticket Dispenser – Split Door

Product Specifications & Packaging Requirements

- 5 levels
- 10-hinged doors that open from top down (2 on each level)
- 10 dividers and 1 solid middle piece (2 on each level) to hold a total of 20 instant ticket books (4 books side by side per level)
- Solid piece in the middle and 1 divider on each side of the solid piece (2 books side by side on either side of the solid piece per level)
- Instant ticket standard book size: 4” wide x 12” long
- 10 locks, 1 key #751; Key removable only in “locked” position
- 20 - 1.5” (approx.) Velcro® loop strips affixed to the roof of each level just above the hinged door opening as well as on top of each hinged door to protect instant tickets from being damaged
- 5 horizontal bars that run across the inside front of dispenser door, secured at each end by notches integrated into the dispenser’s side walls. The bar rests atop the center divider to hold an insert card each book (4 per level)
- 6 clear rubber feet on bottom of dispenser
- Rounded cut-out handle (4 ½ w x 1 ¼ h) on each side of the dispenser

Material (top, bottom, sides, doors and dividers)

- High quality clear acrylic
- Or, another material that could integrate CLC branding on outside face of dispenser
- Light transmittance of no less than 92% on all clear acrylic, which will not fade or yellow for a period of no less than ten (10) years
- Thickness of acrylic should not be less than 3/16”

Outside Dimensions (approx.)

- 18 1/2” (width) X 23.5” (height) X 13” (deep)

Inside Shelf Dimensions (approx.)

- 18 1/16 ” (wide)
- 4 1/2” (height)
- 12 11/16” (deep)
- Divider 1 ¼” (high)

Packaging Requirements

- Individually Boxed
- Label Identifying Content
- Pallet labels identifying content

SEE PICTURE(S) BELOW FOR REFERENCE

Appendix B
Product Specifications and Packaging Requirements
(Page 2 of 18)

B. 20 Game On-Counter Instant Ticket Dispenser – Low Profile

Product Specifications & Packaging Requirements

- 5 levels
- 10-hinged doors that open from top down (2 on each level)
- 10 dividers and 1 solid middle piece (2 on each level) to hold a total of 20 instant ticket books (4 books side by side per level)
- Solid piece in the middle and 1 divider on each side of the solid piece (2 books side by side on either side of the solid piece per level)
- Instant ticket standard book size: 4" wide x 12" long
- 10 locks, 1 key #751; Key removable only in "locked" position
- 20 - 1.5" (approx.) Velcro® loop strips affixed to the roof of each level just above the hinged door opening as well as on top of each hinged door to protect instant tickets from being damaged
- 5 horizontal bars that run across the inside front of dispenser door, secured at each end by notches integrated into the dispenser's side walls. The bar rests atop the center divider to hold an insert card for each book (4 per level)
- 6 clear rubber feet on bottom of dispenser
- Rounded cut-out handle (4 ½ w x 1 ¼ h) on each side of the dispenser

Material (top, bottom, sides, doors and dividers)

- High quality clear acrylic
- Or, another material that could integrate CLC branding on outside face of dispenser
- Light transmittance of no less than 92% on all clear acrylic, which will not fade or yellow for a period of no less than ten (10) years
- Thickness of acrylic should not be less than 3/16"

Outside Dimensions (approx.)

- 18 1/2" (width) X 19 ¼ " (height) X 13" (deep)

Inside Shelf Dimensions (approx.)

- 18 1/16 " (wide)
- 3 5/8" (height)
- 12 11/16" (deep)
- Divider 1 ¼ (high)

Packaging Requirements

- Individually Boxed
- Label Identifying Content
- Pallet labels identifying content

SEE PICTURE(S) BELOW FOR REFERENCE

Appendix B
Product Specifications and Packaging Requirements
(Page 3 of 18)

C. 10 Game On-Counter Instant Ticket Dispenser - Standard

Product Specifications & Packaging Requirements

- 5 levels
- 5 hinged doors that open from top down (1 on each level)
- 5 dividers (1 on each level) to hold a total of 10 instant ticket books (2 books side by side per level)
- Instant ticket standard book size: 4" wide x 12" long
- 5 locks, 1 key #751; Key removable only in "locked" position
- 10 - 1.5" (approx.) Velcro® loop strips affixed to the roof of each level just above the hinged door opening as well as on top of each hinged door to protect instant tickets from being damaged
- 5 horizontal bars that run across the inside front of dispenser door, secured at each end by notches integrated into the dispenser's side walls. The bar rests atop the center divider to hold an insert card for each book (2 per level)
- 4 clear rubber feet on bottom of dispenser

Material (top, bottom, sides, doors and dividers)

- High quality clear acrylic
- Or, another material that could integrate CLC branding on outside face of dispenser
- Light transmittance of no less than 92% on all clear acrylic, which will not fade or yellow for a period of no less than ten (10) years
- Thickness of acrylic should not be less than 3/16"

Outside Dimensions (approx.)

- 9 1/4" (width) X 23.5" (height) X 13" (deep)

Inside Shelf Dimensions (approx.)

- 8 7/8" (wide)
- 4 1/2" (height)
- 12 11/16" (deep)
- Divider 1 1/4" (high)

Packaging Requirements

- Individually Boxed
- Label Identifying Content
- Pallet labels identifying content

SEE PICTURE(S) BELOW FOR REFERENCE

Appendix B
Product Specifications and Packaging Requirements
(Page 4 of 18)

D. 10 Game On-Counter Instant Ticket Dispenser – Low Profile

Product Specifications & Packaging Requirements

- 5 levels
- 5-hinged doors that open from top down (1 on each level)
- 5 dividers (1 on each level) to hold a total of 10 instant ticket books (2 books side by side per level)
- Instant ticket standard book size: 4" wide x 12" long
- 5 locks, 1 key #751; Key removable only in "locked" position
- 10 - 1.5" (approx.) Velcro® loop strips affixed to the roof of each level just above the hinged door opening as well as on top of each hinged door to protect instant tickets from being damaged
- 5 horizontal bars that run across the inside front of dispenser door, secured at each end by notches integrated into the dispenser's side walls. The bar rests atop the center divider to hold an insert card for each book (2 per level)
- 4 clear rubber feet on bottom of dispenser

Material (top, bottom, sides, doors and dividers)

- High quality clear acrylic
- Or, another material that could integrate CLC branding on outside face of dispenser
- Light transmittance of no less than 92% on all clear acrylic, which will not fade or yellow for a period of no less than ten (10) years
- Thickness of acrylic should not be less than 3/16"

Outside Dimensions (approx.)

- 9 1/4" (width) X 19" (height) X 13" (deep)

Inside Shelf Dimensions (approx.)

- 8 7/8" (wide)
- 3 5/8" (height)
- 12 11/16" (deep)
- Divider 1 1/4" (high)

Packaging Requirements

- Individually Boxed
- Label Identifying Content
- Pallet labels identifying content

SEE PICTURE(S) BELOW FOR REFERENCE

Appendix B
Product Specifications and Packaging Requirements
(Page 5 of 18)

E. 8 Game On-Counter Instant Ticket Dispenser - Standard

Product Specifications & Packaging Requirements

- 2 level
- 4-hinged doors that open from top down (2 on each level)
- 3 dividers to hold a total of 4 instant ticket books (4 books side by side per level)
- Instant ticket standard book size: 4" wide x 12" long
- 4 locks, 1 key #751; Key removable only in "locked" position
- 8 - 1.5" (approx.) Velcro® loop strips affixed to the roof of each level just above the hinged door opening as well as on top of each hinged door to protect instant tickets from being damaged
- 2 horizontal bars that run across the inside front of dispenser door, secured at each end by notches integrated into the dispenser's side walls. The bar rests atop the center divider to hold an insert card for each book (4 per level)
- 6 clear rubber feet on bottom of dispenser

Material (top, bottom, sides, doors and dividers)

- High quality clear acrylic
- Or, another material that could integrate CLC branding on outside face of dispenser
- Light transmittance of no less than 92% on all clear acrylic, which will not fade or yellow for a period of no less than ten (10) years
- Thickness of acrylic should not be less than 3/16"

Outside Dimensions (approx.)

- 18 1/2" (width) X 9 1/2" (height) X 13" (deep)

Inside Shelf Dimensions (approx.)

- 18 1/4" (wide)
- 3 5/8" (height)
- 12 5/8" (deep)
- Divider 1 1/4" (high)

Packaging Requirements

- Individually Boxed
- Label Identifying Content
- Pallet labels identifying content

SEE PICTURE(S) BELOW FOR REFERENCE

Appendix B
Product Specifications and Packaging Requirements
(Page 6 of 18)

F. 8 Game On-Counter Instant Ticket Dispenser – Low Profile

Product Specifications & Packaging Requirements

- 2 level
- 4-hinged doors that open from top down (2 on each level)
- 3 dividers to hold a total of 4 instant ticket books (4 books side by side per level)
- Instant ticket standard book size: 4” wide x 12” long
- 4 locks, 1 key #751; Key removable only in “locked” position
- 8 - 1.5” (approx.) Velcro® loop strips affixed to the roof of each level just above the hinged door opening as well as on top of each hinged door to protect instant tickets from being damaged
- 2 horizontal bars that run across the inside front of dispenser door, secured at each end by notches integrated into the dispenser’s side walls. The bar rests atop the center divider to hold an insert card for each book (4 per level)
- 6 clear rubber feet on bottom of dispenser

Material (top, bottom, sides, doors and dividers)

- High quality clear acrylic
- Or, another material that could integrate CLC branding on outside face of dispenser
- Light transmittance of no less than 92% on all clear acrylic, which will not fade or yellow for a period of no less than ten (10) years
- Thickness of acrylic should not be less than 3/16”

Outside Dimensions (approx.)

- 18 1/2” (width) X 7 3/4 ” (height) X 13” (deep)

Inside Shelf Dimensions (approx.)

- 18 1/6 ” (wide)
- 3 5/8” (height)
- 12 1/16” (deep)
- Divider 1 ¼ (high)

Packaging Requirements

- Individually Boxed
- Label Identifying Content
- Pallet labels identifying content

SEE PICTURE(S) BELOW FOR REFERENCE

Appendix B
Product Specifications and Packaging Requirements
(Page 7 of 18)

G. 5 Game On-Counter Instant Ticket Dispenser – Low Profile

Product Specifications & Packaging Requirements

- 5 levels
- 5 hinged doors that open from top down (1 on each level)
- Instant ticket standard book size: 4" wide x 12" long
- 5 locks, 1 key #751; Key removable only in "locked" position
- 5 - 1.5" (approx.) Velcro® loop strips affixed to the roof of each level just above the hinged door opening as well as on top of each hinged door to protect instant tickets from being damaged
- 5 horizontal bars that run across the inside front of dispenser door, secured at each end by notches integrated into the dispenser's side walls. The bar will hold an insert card for each book (1 per level)
- 4 clear rubber feet on bottom of dispenser

Material (top, bottom, sides, doors and dividers)

- High quality clear acrylic
- Or, another material that could integrate CLC branding on outside face of dispenser
- Light transmittance of no less than 92% on all clear acrylic, which will not fade or yellow for a period of no less than ten (10) years
- Thickness of acrylic should not be less than 3/16"

Outside Dimensions (approx.)

- 4 3/4" (width) X 19 1/4" (height) X 13" (deep)

Inside Shelf Dimensions (approx.)

- 4 3/8" (wide)
- 3 5/8" (height)
- 12 11/16" (deep)

Packaging Requirements

- Individually Boxed
- Label Identifying Content
- Pallet labels identifying content

SEE PICTURE(S) BELOW FOR REFERENCE

Appendix B
Product Specifications and Packaging Requirements
(Page 8 of 18)

H. 4 Game On-Counter Instant Ticket Dispenser – Low Profile

Product Specifications & Packaging Requirements

- 1 level
- 2-hinged doors that open from top down (2 on each level)
- 3 dividers to hold a total of 4 instant ticket books (4 books side by side per level)
- Instant ticket standard book size: 4” wide x 12” long
- 2 locks, 1 key #751; Key removable only in “locked” position
- 4 - 1.5” (approx.) Velcro® loop strips affixed to the roof of each level just above the hinged door opening as well as on top of each hinged door to protect instant tickets from being damaged
- 1 horizontal bar that runs across the inside front of dispenser door, secured at each end by notches integrated into the dispenser’s side walls. The bar rests atop the center divider to hold an insert card for each book (4 per level)
- 6 clear rubber feet on bottom of dispenser

Material (top, bottom, sides, doors and dividers)

- High quality clear acrylic
- Or, another material that could integrate CLC branding on outside face of dispenser
- Light transmittance of no less than 92% on all clear acrylic, which will not fade or yellow for a period of no less than ten (10) years
- Thickness of acrylic should not be less than 3/16”

Outside Dimensions (approx.)

- 18 1/2” (width) X 4 ” (height) X 13” (deep)

Inside Shelf Dimensions (approx.)

- 18 1/8 ” (wide)
- 3 5/8” (height)
- 12 11/16” (deep)
- Divider 1 1/4” (high)

Packaging Requirements

- Individually Boxed
- Label Identifying Content
- Pallet labels identifying content

SEE PICTURE(S) BELOW FOR REFERENCE

Appendix B
Product Specifications and Packaging Requirements
(Page 9 of 18)

I. Fold-Over Insert Card Holder – Small

Product Specifications & Packaging Requirements

Purpose: It adheres to the back door of a standard 10 or 20 on-counter instant ticket display unit.

Dimensions (approx.):

- 4”(w) x 3-1/2” (h) front; 4”(w) x 3” (h) back

Material:

- .060 PETG, or similar
- Material thickness should not be less than 1/16”
- Adhesive: 1/2" x 3.00" High Bond Tape; 2 Pcs. precut per unit; clear
- Tab on the adhesive for easy removal of adhesive
- Plastic protector between each unit

Packaging Requirements

- Box not to exceed 30lbs
- Label Identifying Content
- Pallet labels identifying content

SEE PICTURE(S) BELOW FOR REFERENCE

J. Fold-Over Insert Card Holder – Large

Product Specifications & Packaging Requirements

Purpose: Used on the front side of certain dispensers to display game art/graphics.

Dimensions (approx.)

- 4” (width) X 4.5” (height) X 3. ¾ ” (back height)

Material

- .060 PETG, or similar
- Material thickness should not be less than 1/16”
- Adhesive: 1/2" x 3.00" High Bond Tape; 2 Pcs. precut per unit; clear –
- Tab on the adhesive for easy removal of adhesive
- Plastic protector between each unit

Packaging Requirements

- Box not to exceed 30lbs
- Label Identifying Content
- Pallet labels identifying content

SEE PICTURE(S) BELOW FOR REFERENCE

Appendix B
Product Specifications and Packaging Requirements
(Page 10 of 18)

K. 30 Game On-Counter Instant Ticket Dispenser - Standard

Product Specifications & Packaging Requirements

- 5 levels
- 5 hinged doors that open from top down (1 on each level)
- Instant ticket standard book size: 4" wide x 12" long
- 5 locks, 1 key #751; Key removable only in "locked" position
- 5 - 1.5" (approx.) Velcro® loop strips affixed to the roof of each level just above the hinged door opening as well as on top of each hinged door to protect instant tickets from being damaged
- 5 horizontal bars that run across the inside front of dispenser door, secured at each end by notches integrated into the dispenser's side walls. The bar will hold an insert card for each book (1 per level)
- 4 clear rubber feet on bottom of dispenser

Material (top, bottom, sides, doors and dividers)

- High quality clear acrylic
- Or, another material that could integrate CLC branding on outside face of dispenser
- Light transmittance of no less than 92% on all clear acrylic, which will not fade or yellow for a period of no less than ten (10) years
- Thickness of acrylic should not be less than 3/16"

Outside Dimensions (approx.)

- 28" (width) X 23 1/2" (height) X 13" (deep)

Inside Shelf Dimensions (approx.)

- 27 1/4" (wide)
- 4 1/2" (height)
- 12 11/16" (deep)

Packaging Requirements

- Individually Boxed
- Label Identifying Content
- Pallet labels identifying content

Note: The dimensions and specifications for the 30-Game On-Counter Instant Ticket Dispenser are approximations provided for proposal and pricing purposes only. CLC does not currently utilize this configuration and does not have a physical sample available for measurement. Final specifications will be determined in collaboration with the selected vendor.

Appendix B
Product Specifications and Packaging Requirements
(Page 11 of 18)

L. 30 Game On-Counter Instant Ticket Dispenser – Low Profile

Product Specifications & Packaging Requirements

- 1 level
- 2-hinged doors that open from top down (2 on each level)
- 3 dividers to hold a total of 4 instant ticket books (4 books side by side per level)
- Instant ticket standard book size: 4" wide x 12" long
- 2 locks, 1 key #751; Key removable only in "locked" position
- 4 - 1.5" (approx.) Velcro® loop strips affixed to the roof of each level just above the hinged door opening as well as on top of each hinged door to protect instant tickets from being damaged
- 1 horizontal bar that runs across the inside front of dispenser door, secured at each end by notches integrated into the dispenser's side walls. The bar rests atop the center divider to hold an insert card for each book (4 per level)
- 6 clear rubber feet on bottom of dispenser
-
- Material (top, bottom, sides, doors and dividers)
- High quality clear acrylic
- Or, another material that could integrate CLC branding on outside face of dispenser
- Light transmittance of no less than 92% on all clear acrylic, which will not fade or yellow for a period of no less than ten (10) years
- Thickness of acrylic should not be less than 3/16"
-
- Outside Dimensions (approx.)
- 28" (width) X 19 ¼" (height) X 13" (deep)
-
- Inside Shelf Dimensions (approx.)
- 27 ¼" (wide)
- 3 5/8" (height)
- 12 11/16" (deep)
- Divider 1 ¼" (high)
-
- Packaging Requirements
- Individually Boxed
- Label Identifying Content
- Pallet labels identifying content

Note: The dimensions and specifications for the 30-Game On-Counter Instant Ticket Dispenser are approximations provided for proposal and pricing purposes only. CLC does not currently utilize this configuration and does not have a physical sample available for measurement. Final specifications will be determined in collaboration with the selected vendor.

Appendix B
Product Specifications and Packaging Requirements
(Page 12 of 18)

Item	Mockup Images		
A. 20 Game On- Counter Instant Ticket Dispenser – Split Door	A clear acrylic mockup of a 20-game instant ticket dispenser. It features a grid of 20 compartments arranged in 4 rows and 5 columns. The dispenser is shown from a front-three-quarter perspective, sitting on a light-colored surface. <u>Front View</u> A clear acrylic mockup of a 20-game instant ticket dispenser, similar to the one above but with a different internal structure. It is shown from a front-three-quarter perspective, sitting on a light-colored surface. <u>Front & Side View</u>	A close-up side view of the clear acrylic mockup, showing a cut-out handle and the internal structure of the dispenser. <u>Side View / Cut-Out Handle</u> A clear acrylic mockup of a 20-game instant ticket dispenser with its door open, showing the internal structure and the door's locking mechanism. <u>Door Open View/Lock</u>	A clear acrylic mockup of a sign holding bar, showing its internal structure and the bar's design. <u>Sign Holding Bar</u>


Appendix B
Product Specifications and Packaging Requirements
(Page 13 of 18)

B.

**20 Game
On-
Counter
Instant
Ticket
Dispenser
– Low
Profile**



Front & Side View



Insert Card Holding Bar



Door Open View / Lock



Insert Card Holding Bar

Appendix B
Product Specifications and Packaging Requirements
(Page 14 of 18)

C.

**10 Game
On-
Counter
Instant
Ticket
Dispenser**



Front View



Front & Side View



Back View / Velcro



Insert Card Holding Bar

Appendix B
Product Specifications and Packaging Requirements
(Page 15 of 18)

D.	10 Game On- Counter Instant Ticket Dispenser – Low Profile	 <u>Front View</u>	 <u>Back View / Door Open / Lock</u>	 <u>Insert Card Holding Bar</u>
E.	8 Game On- Counter Instant Ticket Dispenser	 <u>Sample View</u>	 <u>Door Open View / Lock</u>	 <u>Insert Card Holding Bar</u>

Appendix B
Product Specifications and Packaging Requirements
(Page 16 of 18)

F.	8 Game On- Counter Instant Ticket Dispenser – Low Profile	 <u>Sample View</u>	 <u>Door Open View / Lock</u>	 <u>Insert Card Holding Bar</u>
G.	5 Game On- Counter Instant Ticket Dispenser – Low Profile	 <u>Sample View</u>		

Appendix B
Product Specifications and Packaging Requirements
(Page 17 of 18)

H.

**4 Game
On-
Counter
Instant
Ticket
Dispenser
– Low
Profile**



Sample View



Door Open View / Lock



Insert Card Holding Bar

Appendix B
Product Specifications and Packaging Requirements
(Page 18 of 18)

I.	Fold-Over Insert Card Holder – Small	 <u>Front / Back View</u>	 <u>Empty 20 On-Counter (Back Door)</u>	 <u>20 On-Counter (Back Door)</u> <u>Filled with Dispenser Inserts</u>
J.	Fold-Over Insert Card Holder - Large	 <u>Front / Back View</u>		

Request For Proposals (RFP)
#CLC202510

Appendix C
30 Game On-Counter Instant Ticket Dispenser
(Page 1 of 2)

K. 30 Game On-Counter Instant Ticket Dispenser - Standard

Design features or enhancements that meet or exceed CLC's material, durability, and construction standards

Print Name

Title

Signature

Date

***NOTE:** In order to be considered valid, Appendix C, and all supporting pages, must be signed by an authorized representative of the Proposer.

Appendix C
30 Game On-Counter Instant Ticket Dispenser
(Page 2 of 2)

L. 30 Game On-Counter Instant Ticket Dispenser - Standard

Design features or enhancements that meet or exceed CLC's material, durability, and construction standards

Print Name

Title

Signature

Date

***NOTE:** In order to be considered valid, Appendix C, and all supporting pages, must be signed by an authorized representative of the Proposer.